

Cognitive Behavioral Therapy & Motivational Interviewing

Carla Marienfeld, MD, FASAM, DFAPA
Clinical Professor of Psychiatry
Medical Director Addiction Recovery and Treatment Program
University of California, San Diego
Thank you to Drs. Finch, Earley, and Lasswell adapting their slides!

1

ASAM Board Exam Study Course: Cognitive Behavioral Therapy & Motivational Interviewing
July 2021

Financial Disclosures

Carla Marienfeld, MD
NO DISCLOSURES

2

Objectives

1. Describe terminology and approach with Motivational Interviewing.
2. Understand core concepts of Cognitive Behavioral Therapy for SUDs.
3. Review concepts and approach of several evidence-based therapies for SUDs.

3

Models for Addiction: *Past and Present*

- **Moral:**
The addict is weak or bad.
The drug itself is evil.
- **Psychological/Sociological:**
"Addictive personality"
Learned behavior: Reward theory
Family and cultural norms
- **Medical "brain disease":**
Genetic predisposition
Chemical imbalance or neuro-adaptation

4

Behavioral Therapies: *Groups*

- Modal format for much SUD therapy:
 - Cost effective
 - Increase Access
 - Peers powerful agent of change
 - Better fidelity to model
- Advantages:
 - Modeling, varied coping skills
 - Public affirmations, confession, support
 - Networks of support

5

Behavioral Therapies: *Individual*

- Privacy
- Flexibility to address issues as they arise
- Focus on unique individually relevant issues
- More practical for some providers
- Avoidant patients (e.g., schizophrenia, trauma, socially anxious)

6

Selected Evidence Based Psychosocial Treatments

- Motivational Interviewing (MI)
- Cognitive-Behavioral Treatment (CBT)
- Mutual Help (AA, NA, Smart Recovery, Women for Sobriety)
- Community Reinforcement Approach (CRA)
- Community Reinforcement And Family Therapy (CRAFT)
- Contingency Management (CM)
- Behavioral Couples Treatment
- Acceptance and Commitment Therapy (ACT)
- Dialectical Behavioral Therapy (DBT)
- Supportive Therapy

7

Which of the following terms is used to describe the Spirit of MI?

- A. Palliation
- B. Acceptance
- C. Comparison
- D. Evolution

8

What is Motivational Interviewing About?

“MI is about arranging conversations so that people talk themselves into change based on their values and interests.”

Miller and Rollnick, *Motivational Interviewing: Helping People Change*, 3rd Edition, 2013.


9

A Range of STYLES

Directing ↔ Guiding ↔ Following



- Teach
- Assess
- Prescribe
- Lead



- Draw out
- Encourage
- Motivate



- Listen
- Understand
- Go along with

Miller and Rollnick, *Motivational Interviewing: Helping People Change*, 3rd Edition, 2013.

10

Spirit (PACE)

Emphasis on spirit rather than techniques.

- Partnership
- Acceptance
- Compassion
- Evocation

Miller and Rollnick, *Motivational Interviewing: Helping People Change*, 3rd Edition, 2013.

11

The Spirit of MI: Wrestling vs. Dancing



Source of metaphor: Jeff Allison

12

Which of the following four processes are a part of motivational interviewing?

- A. Engaging the patient in the process
- B. Fantasizing about a better future for yourself
- C. Eliciting change talk from the patient.
- D. Perseverating on the change the patient wishes to make for themselves.

13

Four Foundational Processes of MI

- Planning (how will we get there?)
- Evoking (why are we going there?)
- Focusing (where shall we go?)
- Engaging (shall we walk together?)

14

Core Skills (OARS + I&A)

- **O**pen Ended Questions
- **A**ffirming
- **R**eflecting (simple and complex)
- **S**ummarizing
- **I**nforming & **A**dvising (with permission, elicit-provide-elicite)

Miller and Rollnick, *Motivational Interviewing: Helping People Change*, 3rd Edition, 2013.

15

Reflective Listening

“Right now, drinking doesn’t help me feel better the way it used to. In fact, I feel worse now.”

- Echo: Drinking makes you feel worse now.
- Rephrase: So you find that drinking is no longer helping you to feel better, the way it used to.
- Double-sided: In the past, drinking helped you to feel better. Now it makes matters worse.
- Continuation: ... and you want to find some way to feel better instead of drinking.

16

Facilitating Change

- Change talk: as a person argues on behalf of one position, he or she becomes more committed to it; we talk ourselves into (or out of) things.
- Sustain talk: the more of it is evoked during a counseling session, the more likely that the person will continue the status quo.

17

Encourage & Reinforce Change Talk

DARN CAT

- **D**: desire -- Want, wish, like
- **A**: ability -- Can, could, able
- **R**: reason -- Specific reason for change
- **N**: need -- Need to, have to, must, important

COMMITMENT LANGUAGE PREDICTS CHANGE

- **C**: commitment — Will, intend to, going to
- **A**: activation — Ready to, willing to (w/o specific commitment)
- **T**: taking steps — Report recent specific action toward change

18

Motivational Enhancement Therapy (MET)

- From the founders: “[MET] is a systematic intervention approach for evoking change in problem drinkers. It is based on principles of motivational psychology and is designed to produce rapid, internally motivated change. This treatment strategy does not attempt to guide and train the client, step by step, through recovery, but instead employs motivational strategies to mobilize the client’s own change resources.”
– Miller et al., 1999
- Adapted from Motivational Interviewing
- 4 session protocol – great for short-term therapeutic relationships
- Used as a tailored approach for substance misusers
- Three phases
- Manual available here: <https://casaa.unm.edu/download/MET.pdf>

19

Which of the following are part of Marlatt and Gordon’s 1985 model of Relapse Prevention utilizing Cognitive Behavioral Therapy adapted for treatment of substance use disorders?

- A. Eliciting change talk from the patient
- B. Earning vouchers for negative urine drug screens
- C. Targeting cognitive, affective, and situational triggers for substance use
- D. Conducting a moral inventory

20


Cognitive Behavioral Therapy (CBT) Efficacy

- CBT models
 - among the most extensively evaluated interventions for SUDs
- Based primarily on Marlatt and Gordon’s 1985 model of relapse prevention
 - target cognitive, affective, and situational triggers for substance use
 - provide skills training specific to coping alternatives

21

Cognitive Behavioral Therapy

- CBT says: Substance use is reinforcing, this interacts with psychological or behavioral coping deficits to produce increase in substance use
- SUD develops when pattern is repeated
- Solution: more effective coping
- Also deals with expectancies
- Stages of treatment:
 - Building rapport and alliance
 - Preparing for Change
 - CBT Strategies
 - Maintaining Change/Termination



• <https://www.treatmentnetworksforvets.org/wp-content/uploads/2018/04/CBT-SUD-Therapist-Manual.pdf>

22

Core Elements of Cognitive Behavioral Therapy:

1. **Recognize:**
triggers-cues: external-internal
2. **Anticipate/Avoid:**
high risk situations-people-places
3. **Cope:**
skills for relaxing-dealing with stress-dysphoria
4. **Connect:**
options for support-socializing-fun-meaning

23

Cognitive Behavior Therapy: Basic Treatment Components (1):

- Identification of high risk situations
“people, places, and things”
- Development of coping skills
To manage risk/triggers as well as negative emotional states
- Development of new lifestyle behaviors
To decrease need for/role of substance use
- Development of sense of self-efficacy
Build on small successes in coping

24

Cognitive Behavior Therapy: Basic Treatment Components (2):

- Communication skills
 - Refusal skills
 - Asking for help
- Preparation for lapses
 - Process to be learned from "lapses"
 - Prevent lapse from becoming relapse
 - Identify and manage patterns of thinking that increase risk
- Dealing with relapse
 - Relapse is not a catastrophe
 - Minimize consequences

25

Twelve-Step Facilitation (TSF)

- From the founders: "This therapy is grounded in the concept of alcoholism as a spiritual and medical disease. The content of this intervention is consistent with the 12 Steps of Alcoholics Anonymous (AA), with primary emphasis given to Steps 1 through 5. In addition to abstinence from alcohol, a major goal of the treatment is to foster the patient's commitment to participation in AA."
- Nowinski, Baker, & Carroll, 1999
- Emphasizes concepts like acceptance, surrender, the moral inventory
- Covers strategies like HALT
- Includes sessions for family members covering enabling and detaching
- Available here: <https://pubs.niaaa.nih.gov/publications/projectmatch/match01.pdf>

26

CRA vs CRAFT

- Both are evidence supported behavioral treatments for SUD
- Community Reinforcement Approach (CRA)
 - Intended for the person
 - Based on the belief that a drinker's "community" (e.g., family, social and job environment) plays a critical role in supporting or discouraging use
 - Consequently the environment needs to be restructured such that a sober lifestyle is more rewarding than a using lifestyle
- Community Reinforcement and Family Therapy (CRAFT)
 - An outgrowth of CRA
 - Helps the family
 - Method for working with concerned family members in order to get a treatment-refusing person to enter treatment

27

Community Reinforcement Approach (CRA)

- Based on operant conditioning; substance use as learned behavior
- Naturalistic: uses contingencies already operating in the individual's natural environment to support change and abstinence (e.g., giving or withholding praise for behaviors)
- Functional analysis of both healthy and substance use behaviors in terms of ability to reward/be aversive
- Refining problem-solving and goal-setting efforts for individual and/or family (teaching positive communication, contracting skills)

28

CRAFT

- From the founder: "The Community Reinforcement Approach and Family Training (CRAFT) intervention is a scientifically based intervention designed to help concerned significant others (CSOs) to engage treatment-refusing substance abusers into treatment."
- Robert J. Meyers, 2019
- Goal: treatment engagement for the substance user
- "Positive approach" that avoids confrontation
- Culturally sensitive: works with cultural mores/beliefs to develop treatment plan
- Teaches CSOs to use positive reinforcers (rewards)
- Encourages CSOs to allow the substance user to suffer natural consequences of using behavior
- Includes: functional analysis, sobriety sampling, CRA treatment plan, behavioral skills training, job skills, social/rec counseling, relapse prevention, and relationship counseling

29

Contingency Management

- Uses therapeutically applied incentives and other reinforcements to increase one or more target behaviors
- Variety of reinforcement schedules, contingency types, and variations
- Standard treatment includes twelve weeks of CM
- Adjunct to on-going therapy or stand-alone
- Can be implemented by case managers to trained specialists
- Clinical trials indicate:
 - Increase attendance in programming
 - Medication adherence
 - Drug abstinence
 - Helps stimulant use disorder; adolescents

30

Contingency Management (CM)

- Based on operant conditioning: substance use as learned behavior
- Uses contingencies set in place explicitly and exclusively for therapeutic purposes
- Examples
 - Earning vouchers exchangeable for retail products contingent on negative urine toxicology results
 - Earning methadone take-home privileges for negative urine drug screens

31


Behavioral Couples Therapy

- From the founders: "BCT tries to increase and reward behaviors that support abstinence and long-term recovery."
 - Fals-Stewart, O'Farrell, Birchler, & Gorman, C. (2006)
- Stand alone or in concert with another treatment
- 12 sessions
 - Support for Recovery
 - Relationship Enhancement
 - Communication Skills
 - Continuing Recovery
- Skills include: Establishing shared goals, catching partner(s) doing something nice, share rewarding activities, employing problem-solving, generating an action plan for moving forward

32

Acceptance and Commitment Therapy (ACT)

- Has been studied for use with SUDs, but not widely
- Six Core Processes
 - Acceptance
 - Cognitive Diffusion
 - Being Present
 - Self As Context
 - Values
 - Committed Action
- Useful in helping pts consider how their substance use disconnects them from their values/comparing "sober values" to "using values"/reconnecting to values



33

Dialectical Behavior Therapy (DBT)

- Manual driven behavioral treatment utilizing validation and motivational enhancement techniques
- Often combination of group and individual elements
- Addresses enhancement of four basic capabilities:
 - Interpersonal effectiveness
 - Emotional and self regulation capacities
 - Ability to tolerate distress
 - Mindfulness

34

Dialectical Behavioral Therapy (DBT)

- From the founder: "When DBT is successful, the patient learns to envision, articulate, pursue, and sustain goals that are independent of his or her history of out-of-control behavior, including substance abuse, and is better able to grapple with life's ordinary problems."
 - Linehan, 2008
- Core processes: Change & acceptance
- Emphasis on abstinence
 - Change: pushing for immediate and permanent cessation of drug abuse
 - Acceptance: a relapse, should it occur, does not mean that the patient or the therapy cannot achieve the desired result
- Key skills: Cope ahead, Failing well
- Addict Mind → Clean Mind

35

Psychotherapy in Everyday Practice

Basic Elements of Psychotherapy:

- Expectation of receiving help
- Therapeutic relationship
- Obtaining external perspective/support
- Encouraging positive choices
- Frame of understanding

All available in the medical encounter.

Supportive Psychotherapy

Uses direct measures to ameliorate symptoms - to maintain, restore, or improve self-esteem, ego functions, and adaptive skills.

Focuses on developing adaptive capacities

- Take into account the patient's limitations
 - Deficits in character structure
 - Defense mechanisms
 - Native ability
 - Life circumstances

36

Monitor for Effectiveness and Outcome

- Monitor not just in terms of sobriety/abstinence
- Monitor in terms of functional improvement:
 - emotional
 - interpersonal
 - medical (*Don't rely entirely on self-report*)
 - occupational
 - legal
- Is there progress toward patient's identified goals?
- Is there active participation in treatment?



37

37

Case Management: Adapt Treatment Based on Ongoing Assessment of Outcome

- Increase level of care
- Improve recovery environment
 - Joblessness / Homelessness
 - Substance users in living environment
- Assess and access treatment for co-morbid psych problems
- Increase skills for tolerating negative affects
- Is there now a need for medication treatment?



38

38

Co-Occurring Psychiatric Disorders

- General guidelines
 - Concurrent treatment post-stabilization is best!
- PTSD
 - Cognitive Processing Therapy (CPT)
 - Eye Movement Desensitization and Reprocessing (EMDR)
 - Prolonged Exposure (PE)
 - Concurrent Treatment of PTSD and SUDs using Prolonged Exposure



39

39

Conclusions

- Many effective, evidence-based psychotherapy techniques
- Can be done in many settings
- Form the core of treatment for addictions



40

40

THANK YOU!



41

41