The Neurobiology of Trauma: including Historic and Intergenerational Trauma on the Development of Addictions and Eating Disorders

Carolyn Coker Ross, MD, MPH, CEDS. <u>crossmd@mac.com</u> www.CarolynRossMD.com



Disclosure Information (Required)

• Presenter 1: Carolyn Coker Ross, MD, MPH, CEDS

No Disclosures



For an adult, experiences may alter behavior; but for a child, experiences provide the organizing framework of the brain.

Perry, B 2009





Brain Development

- Brain development is bottom up
- The organization of higher brain depends on input from the lower brain
- Use-dependent
- Timing is everything
- Model of brain recovery after stroke can be used for brain recovery after SUD

Executive Center

"The Thinking Brain" Developmental shifts around ages 5-6, 11 & 15. Handles logic, empathy compassion, creativity, self- regulation, self-awareness, predicting, planning, problem-solving, attention.

> PREFRONTAL CORTEX

2009-2015 TEACH though Love wteach-through-love.com Flattiner / Getty images



Emotional Center

"The Emotional Brain" Developmental focus is during ages 0-5. Processes emotions, memory, response to stress, nurturing, caring, separation anxiety, fear, rage, social bonding and hormone control.

REPTILIAN BRAIN


Survival Center

"Fight, Flight or Freeze" Developed at birth. Regulates autonomic functions: breathing, digestion, heart rate, sleep, hunger, instinctual behaviors & behaviors that sustain life.



Petro L. Understanding Your Child's Brain Development. 2009-2015 [cited; Available ASAM2021 from: https://www.teach-through-love.com/child-brain-development.html

Experience Shapes Brain Architecture by Over-Production of Connections Followed by Pruning



1 Child HCotD. Making the World a Better Place - One Child at a Time. 2014 [cited; Available from: https://hollismontessori.org/blog/?offset=1413854654321

Brains and skills are built over time

- Experience shapes brain architecture
- Connections between neurons increase over time (not number)
- The connections that get used a lot strengthen & stay in place
- Connections that are not used frequently fade / are pruned
- USE IT OR LOSE IT
- ◆ TIMING IS EVERYTHING



The brain has plasticity but this is most available in younger ages

Neurodevelopment involves billions of interactions across multiple domains: multiple micro (synapse), macro domains (maternal-child interactions). These is what results in the dynamic expression of our genetic potential and the organization of nerve cells and synapses that make up the human brain. Maltreatment disrupts this process. Trauma, neglect and other experiences of maltreatment (prenatal exposure to drugs or alcohol) or impaired early bonding all influence the human brain.

• Perry B, 2009



Factors that affect brain

ACES AND THE BRAIN	ATTACHMENT DISORDERS	GENETICS	PERSONALITY
CULTURE AND MEDIA	NUTRITION AND BRAIN	ACTIVATION OF THE STRESS RESPONSE	SLEEP DISRUPTION



Where does the problem begin?



- Mother's behaviors have important effects on the brain's growth and development
 - Prenatal nutrition
 - Prenatal Stress Exposure
 - Attachment
 - Stress in infancy, childhood
 - Schwarzenberg, 2018
 - Wachs, 2014
 - Scheinost, 2017



Nutrition is key in first 1000 days

- The brain is most vulnerable from last trimester of pregnancy to first two years of life.
- Gestational nutrition associated with neurodevelopment for single nutrients: iron, omega 3 fatty acids and folate.
- The diet of pregnant women, infants and children has lasting effects throughout lifetime
 - Wachs, 2014







Attachment and the Brain

- Early social environment directly impacts the <u>limbic system</u>, responsible for learning, memory and coping with stress
- Attachment insecurity mediates the relationship between childhood trauma and eating disorder and addiction psychopathology
 - (Tasca, et al., 2013)
- Attachment insecurity can be seen as a general vulnerability to mental disorders

Examples of Toxic Stress

- Child maltreatment
- Living in under-resourced or racially segregated neighborhoods
- Frequently moving,
- Experiencing food insecurity




#ASAM2021

https://www.earlychildhoodcoalitioncentraltexas.org/



Trauma

- Addiction has its' roots in childhood trauma
- Trauma is defined as the loss of some essential part of yourself, like a sense of peace, vitality or presence. (or safety or trust)
 - Gabor Mate'







Giovanelli A, Mondi CF, Reynolds AJ, Ou S-R. Adverse childhood experiences: Mechanisms of risk and resilience in a longitudinal urban cohort. Development and psychopathology. 2020;**32**(4):1418-39.




ACE Score and Intravenous Drug Use



Childhood Experiences Underlie Suicide



Larkin DH. ACES Implications. 2009 [cited; Available from: https://www.slideshare.net/NYSPEP/aces-implications



ASAM


Robert Wood Johnson Foundation



Ellis, W., Dietz, W. (2017) A New Framework for Addressing Adverse Childhood and Community Experiences: The Building Community Resilience (BCR) Model. Academic Pediatrics. 17 (2017) pp. S86-S93. DOI information: 10.1016/j.acap.2016.12.011



Ellis WR, Dietz WH. A new framework for addressing adverse childhood and community experiences: The building community resilience model. Academic Pediatrics. 2017;**17**(7):S86-S93.




ACEs are Common

- Across all racial groups, black and Hispanic children were exposed to more adversities than white children
 - Income disparities in exposure were larger than racial disparities
 - Slopen et al., 2016)
- Exposure to trauma is high in African-Americans living in stressful urban environments. Lifetime prevalence of PTSD after trauma was 51% in a study of A-A patients in PCP offices. Females>Males
 - Alim et al., 2006

Trauma

- 9.1% of African Americans have been diagnosed with PTSD (vs. 6.8% of Whites)
 - Anda and Felitti, 2009
- In a study that included 58% A-A children:
 - 67.2% had one or more ACE (compared to 52% in the Felitti study)
 - >4 ACEs was associated with increased obesity and learning / behavior issues
 - Burke et al. 2011







Klein S. THE POWER OF HEAD START TO HEAL HURTING FAMILIES: Promising Evidence from Research. 2019.

Trauma and the Brain

- Developmental Trauma Disorder (DTD) (OR-2.0-3.8) and PTSD (OR=1.8-3) were associated with previous physical assault and/or abuse, violence in the family, emotional abuse, neglect, and impaired caregivers; and DTD was associated community violence (OR=2.7)
- When controlling for PTSD symptoms, interpersonal trauma and attachment adversity was associated with highest DTD symptoms.
- ".....the impact of trauma is upon the survival or animal part of the brain. That means that our automatic danger signals are disturbed, and we become hyper- or hypo-active: aroused or numbed out. We become like frightened animals. We cannot reason ourselves out of being frightened or upset.

Of course, talking can be very helpful in acknowledging the reality about what's happened and how it's affected you, but talking about it doesn't put it behind you because it doesn't go deep enough into the survival brain."

- Spinazzola and Van der Kolk 2018
- Van der Kolk https://www.psychotherapy.net/interview/bessel-van-der-kolk-trauma



Attachment and Substance Use Disorders

- Attachment adversity has been found to be associated with severe, complex, and chronic biopsychosocial impairment in childhood and across the lifespan
- Insecurely attached individuals engage in more substance use than those with secure attachments.
- Insecure attachment precedes substance use and endures throughout the lifespan
- Early attachment style predicts later changes in substance use more than substance use predicts later changes in attachment style.
 - (Burkett & Young, 2012; Insel, 2003).
 - Fairbairn CE, et al. 2018
 - Berthelot et al., 2015



TRAUMA AND SUBSTANCE USE DISORDERS



SUD and Trauma

- Farley et al. (2004) 89% of clients seeking treatment for SUD had at least one traumatic experience.
- Gielen et al. (2012) found significantly higher trauma and PTSD in individuals with SUD vs. those without. Clinicians did not often recognize or screen for trauma
- Prevalence of PTSD in SUD clients is 3 X higher than in gen pop (25-49%) (Driessen et al., <u>2008</u>)
- Poorer outcomes in SUD if PTSD is left untreated (Mills et al. 2005)



60 % with sexual abuse

CHILDHOOD TRAUMA IN A COMMUNITY SAMPLE OF WOMEN WITH SUD

55% with physical abuse

46% with emotional abuse

83% were emotionally neglected

59% were physically neglected

Lotzin A - 2019



Trauma and SUD

PTSD plus SUD:

- Poorer outcomes
- Increased physical health problems
- Poorer social functioning
- Higher rates of suicide attempts
- More legal problems
- Increased risk of violence
- Worse treatment adherence
- Less improvement during treatment



McCauley et al., 2012



Intergenerational Trauma

"....a childhood history of maltreatment increases the odds of maltreating offspring by a factor of 1.3 to 5.3 depending on the sample and the severity of the parent's abuse history."

> CDC Intergen.Trauma, Journal of Adolescent Health 53 (2013) S1eS3





Definitions

- Transgenerational trauma, or intergenerational trauma is a psychological term which asserts that the effects of trauma can be transferred in between generations. intergenerational trauma refers to the specific experience of trauma across familial generations, but does not necessarily imply a shared group trauma
- Historical trauma is multigenerational trauma experienced by a specific cultural, racial or ethnic group. It is related to major events that oppressed a particular group of people because of their status as oppressed, such as slavery, the Holocaust, forced migration, and the violent colonization of Native Americans.
- Instances of Transgenerational trauma where the trauma is a shared experience amongst a group of people and their role in society, are often referred to as historical trauma.



Intergenerational Trauma (IGT)

• Mechanisms of IGT:

- impact on the attachment relationship with caregivers;
- the impact on parenting and family functioning;
- the association with parental physical and mental illness;
- disconnection and alienation from extended family, culture and society.
- These effects are exacerbated by exposure to continuing high levels of stress and trauma including multiple bereavements and other losses, the process of vicarious traumatization where children witness the on-going effect of the original trauma, which a parent or other family member has experienced.
- Even where children are protected from the traumatic stories of their ancestors, the effects of past traumas still impact on children in the form of ill health, family dysfunction, community violence, psychological morbidity and early mortality.



• DeMaio, et al. 2005

Intergenerational Trauma Research

- Union Army Soldier study
 - Malnutrition of war
- Animal studies
- The Hunger Winter
- Racial Discrimination
- Methylation in offspring of Holocaust survivors

- Costa DL 2018
- Chan JC 2018
- Bygren LO **2013**
- Benner AD 2009
- Yehuda R 2016



Intergenerational Trauma

- Children of those with Alcohol Use Disorder
- Children of veterans with PTSD
 - Aust. N.Z. J. Psychiatry 2001;35:345-51
- Children of Vietnam veterans
 - J. Trauma Stress 2002;15:351-7



Intergenerational Trauma Questions

1. When did your ancestors settle in America?

- 1. Did they come voluntarily or were they refugees, servants, or enslaved people? Were they fleeing brutality, oppression, plague, war or poverty? Did they come here in search of a better life?
- 2. What traumatic events directly affected your mother? Your father? How did affect the choices they made later? How did it affect they way they raised you?
- **3.** What traumatic events directly affected your grandparents? How did affect the choices they made later?
- 4. When your mother was pregnant with you, was the pregnancy easy or difficult for her? Was she generally healthy or ill; happy or depressed? What else was going on for her or in the family?





Friedbauer M. Healing old wounds: Historical trauma. The Daily of the University of Washington. 2019.


Historical Trauma

- Historical trauma requires 5 factors:
 - Trauma is deliberately and systematically inflicted on a target population by a subjugating, dominant population
 - Not a single event / continues over an extended period of time
 - The traumatic events result in collective suffering
 - Those inflicting the trauma do so with malicious intent
 - The magnitude of the trauma derails the population
 - O'Neill 2018
- ◆ Historical trauma affects a large population and is more complex than individual trauma → results in a greater loss of identity and meaning
 - Eyerman 2004

Figure 1. Conceptual Model of Historical Trauma

Distal

Proximate



Examples of Historical Trauma

- Holocaust
- Slavery
 - African Americans experienced generations of slavery, segregation, and institutionalized racism that has contributed to physical, psychological, and spiritual trauma (DeGruy, 2005).
- Japanese Internment
 - The children and grandchildren of survivors commonly experience attachment issues and isolation by their parents (Danieli, 1980).
- Immigration Trauma
- Genocide Survivors
- Violent colonization of Native Americans/Alaska Natives
 - Repeated massacres and the forced removal of children to federal and mission boarding and day schools (Brave Heart, 2003)



Historical Trauma

- Populations historically subjected to long-term, mass trauma exhibit a higher prevalence of disease even several generations after the original trauma occurred.
 - Disease is from both physical and psychological stressors
 - There are political and economic determinants of health and disease unjust power relationships and class inequity
 - There is a multilevel dynamic and interdependence of present and past life course factors that cause disease.



Offspring of Holocaust Survivors

- Two comprehensive reviews reported that in non- clinical populations, offspring of Holocaust survivors did not demonstrate higher rates of psychopathology.
 - When parental PTSD was taken into account, Holocaust offspring demonstrated higher rates of PTSD in association with maternal PTSD, and higher rates of mood and anxiety disorders in associ- ation with PTSD in either parent
 - Period of development in which survivors were exposed to trauma also has relevance (child, adolescence, etc.) and interval between exposure and conception
- When exposed to trauma, children of survivors are twice as likely as others to develop PTSD
 - Yehuda, Halligan, & Grossman, 2001




OHS STUDIES

- Holocaust survivors with PTSD 50% recovery
- However, when faced with lifethreatening medical conditions, Holocaust survivors responded with more distress and negative emotion than matched contrast patients
- When exposed to trauma, children of survivors are twice as likely as others to develop PTSD
 - Yehuda, Halligan, & Grossman, 2001

- When diagnosed with breast cancer, the second-generation women (OHS) responded with much more distress and psychiatric symptomatology than controls
- Some evidence that Holocaust survivors formed more anxious and less secure attachment with their children, and especially women survivors with their daughters
- Mothers (OHS) who are more Holocaust exposed have daughters who are more eating disordered.
 - Zohar, 2007



INTERGENERATIONAL TRAUMA





Graphic – Ross, C 2020

Historical Trauma Requires Subjugation

- Overwhelming physical and psychological violence
- Segregation and/or displacement
- Economic deprivation
- Cultural dispossession

Sotero M - 2006






Historical Trauma – Native American

- "The cumulative emotional and psychological wounding over the lifespan and across generations, emanating from massive group trauma experience."
 - Maria Yellow Horse Brave Heart -2011





Boarding School Era

- 1. "Kill the Indian, Save the Man"- 1900
 - Motto of the Carlisle School
 - Sexual, manual, physical and mental abuse – highest in church-run schools
- 2. Meriam Report **1928**
 - Widespread infectious diseases
 - Malnutrition
 - Overcrowding
 - Poor sanitation
 - Overwork
 - Death rates = 6.5 times higher than for other ethnic groups
- 3. Indian Child Welfare Act **1978**





Torres SB. Beyond Colonizing Epistemicides: Toward a Decolonizing Framework for Indigenous Education. 2019.

Historical Trauma in Native Populations

- A breakdown of traditional Native family values
- Alcohol and other substance abuse
- Depression, anxiety, and suicidality,
- Child abuse and neglect and domestic violence,
- Posttraumatic stress disorder,
- General loss of meaning and sense of hope,
- Internalized oppression, self-hatred

UNDERSTANDING HISTORICAL TRAUMA WHEN RESPONDING TO AN EVENT ININDIAN COUNTRY. http://store.samhsa.gov; 2014. p. 4.



#ASAM2021

Native American / Alaska Native

- 566 different tribal nations, numerous different cultures and languages, and numerous different experiences of historical loss
- Lowest income, least education, highest poverty level, and lowest life expectancy of any population

- Native adults are at greater risk of experiencing psychological distress, and more likely to have poorer overall physical and mental health
- Highest suicide rate
 - Suicide rate has increased 139% in women and 71% for men (vs. 33% for US) since 1999
 - Curtin SC 2019.



Historical Trauma: Legacy of Slavery

- Historical trauma and ongoing discrimination and racial abuse
- Medical experimentation → Longstanding distrust of the medical and mental Health professions
- Displacement beginning with separation of family in slavery; followed by mass incarceration and further family separation and fracture of families leading to economic deprivation
- PTSS




Post-Traumatic Slave Syndrome





Table 1. Number of ACEs by Child Race/Ethnicity

■ 0 ■ 1 ■ 2 or more




Psychoanalysis' Refusal to Remember

- "Refusal to remember, denial, disassociation and disavowal are all echoed in the absence of slavery from the trauma literature, and until recently, from psychoanalytic literature. Trauma literature gives attention to the Holocaust, floods, earthquakes, sexual abuse, rape, etc. but not to slavery and racism."
 - The Intergenerational Trauma of Slavery and its Aftermath Graff, Gilda The Journal of Psychohistory; Winter 2014; 41, 3; ProQuest Central Essentials pg. 181



SIGNIFICANCE





Blacks make up 13% of the US population but:


- 30% of Black households have no husband present vs. 9% of white households
- 27% of Blacks live below the poverty line vs. 10.8% of whites
- Death rates for A-A is higher than for whites for heart disease, stroke, cancer, asthma, Flu, pneumonia, diabetes, COVID

- A-A are less likely than the gen. pop. To be offered evidence-based medication therapy or psychotherapy
- More frequenly diagnosed with schizophrenia
- Black people with schizophrenia, bipolar disorders or psychosis are more likely to be incarcerated than other races.



OPIOID DEATHS BYRACE

Drug overdose deaths involving **synthetic opioids other than methadone** per 100,000 population, by ethnicity, 2013-2017






#ASAM2021

Despite Consequences and Disease Burden, Treatment Gaps among African Americans Remain Vast

PAST YEAR, 2018 NSDUH, African American 12+



* No Treatment for SUD is defined as not receiving treatment at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.



55



Abuse S, Administration MHS. Double jeopardy: COVID-19 and behavioral health disparities for Black and Latino communities in the US. 2020.

#ASAM2021

WHAT IS THE PURPOSE OF TREATMENT?





Therapy must change the brain

- Childhood maltreatment -> disorganized or poorly regulated networks (monoamine neurotransmitters) in the lower brain
- Current treatment targets the limbic or cortical (cognitive and relational interactions)
- Changing the brain requires **repetitions** to modify the neural pathways in the brain



Therapy must take into account and understand effects of systemic racism

Pillar	Threat: Past Present and Future	Normative Psychological Response	Normative Adaptive Response	Negative Outcomes (if Adaptive Responses Fail)	
Security	Ongoing violence, poverty, lack of food, absence of medical care	Fear, anxiety, hyper- vigilance, insecurity	Security seeking, protectiveness, vigilance	Anxiety, post-traumatic stress	5 Pillars And indi Respons Trauma Mass vic
Attachment and Bonds	Forced separation, losses, disappearances	Grief, separation anxiety	Parental protective- ness, attention to restoring families and networks	Complicated grief, pathological separation anxiety, depression	
Justice and Human Rights	Discrimination, racism, humiliation, degrada- tion, rejection, incarceration, dehumanization	Suspicion, lack of trust in authorities, anger	Sensitisation to justice, universalism, human rights promotion and demanding of justice	Pathological anger and violence, loss of trust	
Roles and Identity	Dispossession and dep- rivation, genocide, de- nial/inadequate rights to: work, residency, and self-support	Aimlessness, reduced awareness, loss of sense of belonging, reduced efficacy	Role confusion, recrea- tion of new or hybrid roles and identities	Loss of direction, giving up, persisting aimless- ness or persistent inactivity	
Meaning and Coherence	Destruction of places of worship, banning of religious/spiritual activities, suppression of spiritual, political and cultural aspira- tions and practices	Loss of coherence, a feeling of disorientation and alienation from society Cultural disintegration	Rediscovery or regeneration of cultural, and religion/ spirit, pursuit of social and political causes	Isolation, discontinuity, fragmentation, loss of coherence	Silove D. Adap Safety Signals, PTSD. 2007.

5 Pillars of society And individual and Response to Trauma and Mass violence

ilove D. Adaptation, Ecosocial afety Signals, and the Trajectory of TSD. 2007.

#ASAM2021

FINAL TAKEAWAYS


- PATHWAY TO ADDICTION and ED
 - ACEs
 - Overwhelmed emotionally / hot wire / a dam
 - Response -
 - Self medicate with substances or food
 - Explode \rightarrow anger, DV
 - Shut down
 - Act out
 - ◆ Core beliefs → I'm not worthy, I'm weak, I'm _____
 - Intergenerational Trauma Pass on to next generations (EX. ACOA)
 - Relationship issues, social problems, not reaching potential
 - THE PATTERN CONTINUES EVEN THOUGH THE ORIGIN IS FORGOTTEN OR DEEPLY BURIED



Billy's Story









BILLY'S STORY

B







- Slopen N, Shonkoff JP, Albert MA, Yoshikawa H, Jacobs A, Stoltz R, Williams DR. Racial Disparities in Child Adversity in the U.S.: Interactions With Family Immigration History and Income. Am J Prev Med. 2016 Jan;50(1):47-56. doi: 10.1016/j.amepre.2015.06.013. Epub 2015 Sep 2. PMID: 26342634.
- 2. Alim TN, Graves E, Mellman TA, Aigbogun N, Gray E, Lawson W, Charney DS. Trauma exposure, posttraumatic stress disorder and depression in an African-American primary care population. J Natl Med Assoc. 2006 Oct;98(10):1630-6. PMID: 17052054; PMCID: PMC2569763.
- **3.** Burke NJ, Hellman JL, Scott BG, Weems CF, Carrion VG. The impact of adverse childhood experiences on an urban pediatric population. Child Abuse Negl. 2011 Jun;35(6):408-13. doi: 10.1016/j.chiabu.2011.02.006. Epub 2011 Jun 8. PMID: 21652073; PMCID: PMC3119733.
- 4. Spinazzola J, van der Kolk B, Ford JD. When Nowhere Is Safe: Interpersonal Trauma and Attachment Adversity as Antecedents of Posttraumatic Stress Disorder and Developmental Trauma Disorder. J Trauma Stress. 2018 Oct;31(5):631-642. doi: 10.1002/jts.22320. Epub 2018 Oct 19. PMID: 30338544; PMCID: PMC6221128.



- Schwarzenberg SJ, Georgieff MK, Committee on Nutrition. in the first 1000 days to support childhood development and adult health. <u>Pediatrics</u>. 2018Advocacy for improving nutrition Feb;141(2). pii: e20173716. doi: 10.1542/peds.2017-3716. Epub 2018 Jan 22.
- 2. Wachs TD, Georgieff M, Cusick S, McEwen BS.2020. Issues in the timing of integrated early interventions: contributions from nutrition, neuroscience, and psychological research. *Ann N Y Acad Sci*. 2014;1308:89-106. doi:10.1111/nyas.12314
- **3.** Scheinost D, Sinha R, Cross SN, Kwon SH, Sze G, Constable RT, Ment LR. Does prenatal stress alter the developing connectome? Pediatr Res. 2017 Jan;81(1-2):214-226. doi: 10.1038/pr.2016.197. Epub 2016 Sep 27. PMID: 27673421; PMCID: PMC5313513.
- 4. Tasca GA, et al. <u>Attachment insecurity mediates the relationship between childhood trauma and eating disorder psychopathology in a clinical sample: a structural equation model.</u> Child Abuse Negl. **2013** Nov;37(11):926-33



- Farley M, et al. <u>Trauma history and relapse probability among patients seeking substance</u> <u>abuse treatment.</u> J Subst Abuse Treat. 2004 Sep;27(2):161-7.
- Gielen N, et al. Prevalence of post-traumatic stress disorder among patients with substance use disorder: it is higher than clinicians think it is. <u>Eur J Psychotraumatol</u>. 2012;3. doi: 10.3402/ejpt.v3i0.17734. Epub 2012 Aug 8.
- Driessen M,et al. 2008. <u>Trauma and PTSD in patients with alcohol, drug, or dual dependence:</u> <u>a multi-center study.</u> Alcohol Clin Exp Res. 2008 Mar;32(3):481-8.
- Farrugia PL, Mills KL, Barrett E, et al. Childhood trauma among individuals with co-morbid substance use and post traumatic stress disorder. *Ment Health Subst Use*. 2011;4(4):314-326. doi:10.1080/17523281.2011.598462
- Medrano MA, Zule WA, Hatch J, Desmond DP. <u>Prevalence of childhood trauma in a</u> <u>community sample of substance-abusing women.</u> Am J Drug Alcohol Abuse. **1999** Aug;25(3):449-62.





- Berthelot, N., Ensink, K., Bernazzani, O., Normandin, L., Luyten, P., & Fonagy, P. (2015). Intergenerational transmission of attachment in abused and neglected mothers: the role of trauma-specific reflective functioning. *Infant Ment Health Journal*, 36, 200–212. 10.1002/imhj.21499
- Gadalla T, Piran N.Psychiatric comorbidity in women with disordered eating behavior. Women Health. 2008;48(4):467-84.
- Biederman J, Faraone SV, Monuteaux MC, Feighner JA. Patterns of alcohol and drug use in adolescents can be predicted by parental substance use disorders. Pediatrics. 2000 Oct;106(4):792-797. DOI: 10.1542/peds.106.4.792.
- Lotzin A, Grundmann J, Hiller P, Pawils S, Schäfer I. Profiles of childhood trauma in women with substance use disorders and comorbid posttraumatic stress disorders. Frontiers in psychiatry. 2019;10:674.
- McCauley JL, Killeen T, Gros DF, Brady KT, Back SE. Posttraumatic Stress Disorder and Co-Occurring Substance Use Disorders: Advances in Assessment and Treatment. Clin Psychol (New York). 2012 Sep 1;19(3):10.1111/cpsp.12006. doi: 10.1111/cpsp.12006. PMID: 24179316; PMCID: PMC3811127.





- Abuse S, Administration MHS. Double jeopardy: COVID-19 and behavioral health disparities for Black and Latino communities in the US. 2020.
- Silove D. Adaptation, Ecosocial Safety Signals, and the Trajectory of PTSD. 2007.
- Costa DL, Yetter N, DeSomer H. Intergenerational transmission of paternal trauma among US Civil War ex-POWs. Proceedings of the National Academy of Sciences. 2018;**115**(44):11215-20.
- Chan JC, Nugent BM, Bale TL. Parental advisory: maternal and paternal stress can impact offspring neurodevelopment. Biological psychiatry. 2018;**83**(10):886-94.
- Bygren LO. Intergenerational health responses to adverse and enriched environments. Annual review of public health. 2013;34:49-60.
- Benner AD, Kim SY. Intergenerational experiences of discrimination in Chinese American families: Influences of socialization and stress. Journal of Marriage and Family. 2009;71(4):862-77.
- Yehuda R, Daskalakis NP, Bierer LM, et al. Holocaust exposure induced intergenerational effects on FKBP5 methylation. Biological psychiatry. 2016;80(5):372-80.



- 1. Brave Heart, M.Y.H., Chase, J., Elkins, J., & Altschul, D.B. (2011). Historical trauma among Indigenous Peoples of the Americas: Concepts, research, and clinical considerations. *Journal of Psychoactive Drugs*, 43 (4), 282-290.
- 2. Curtin SC, Hedegaard H. Suicide rates for females and males by race and ethnicity: United States, 1999 and 2017. 2019.
- 3. De Maio, J.A., Zubrick, S.R., Silburn, S.R., Lawrence, D.M., Mitrou, F.G., Dalby, R.B., Blair, E.M., Griffin, J., Milroy, H., Cox, A. (2005) The Western Australian Aboriginal Child Health Survey: Measuring the Social and Emotional Wellbeing of Aboriginal Children and Intergenerational Effects of Forced Separation. Available online at: <u>https://www.telethonkids.org.au/globalassets/media/documents/aboriginalhealth/measuring_social_and_emotional_wellbeing.pdf</u>
- Sotero M. A conceptual model of historical trauma: Implications for public health practice and research. Journal of health disparities research and practice. 2006;1(1):93-108.



- Ports KA, Merrick MT, Stone DM, Wilkins NJ, Reed J, Ebin J, & Ford DC. (2017). <u>Adverse</u> <u>Childhood Experiences and Suicide Risk: Toward Comprehensive</u> <u>PreventionExternal.</u> *American Journal of Preventive Medicine*, 53(3), 400-403
- Merrick MT, Guinn AS. (2018). <u>Child Abuse and Neglect: Breaking the intergenerational</u> <u>link</u>. *American Journal of Public Health*, 108(9), pp.1117–1118.
- Edwards, VJ, Dube SR, Felitti VJ, Anda RF. <u>It's OK to ask about past abuse</u>. Am Psych. 2007;62(4):327–328.
- Merrick MT, Ford DC, Ports KA, Guinn AS. (2018). Prevalence of Adverse Childhood Experiences From the 2011-2014 Behavioral Risk Factor Surveillance System in 23 States. JAMA Pediatrics, 172(11), 1038-1044
- Gilbert LK, Breiding MJ, Merrick MT, Parks SE, Thompson WW, Dhingra SS, Ford DC. <u>Childhood adversity and adult chronic disease: An update from ten states and the District</u> of Columbia, 2010External. Am J Prev Med. 2015;48(3):345-9.



- <u>https://www.healthymindspolicy.org/wp-content/uploads/2020/07/HMO-One-Pager-Racial-Disparities-</u> <u>FINAL.pdf</u>
- Hamel, L., Kearney, A., Kirzinger, A., Lopes, L., Munana, C., and Brodie, M. (2020, June 26) KFF Health Tracking Poll - June 2020. https://www.kff.org/disparities-policy/report/kff-healthtracking-poll-june-2020/
- America Psychiatric Association. (2017). Mental health disparities: African Americans. https://www.psychiatry.org/psychiatrists/cultural-competency/education/mental-health-factsCopeland, V. C., & Snyder, K. (2011). Barriers to mental health treatment services for lowincome African American women whose children receive behavioral health services: an ethnographic investigation. Social work in public health, 26(1), 78–95. https://doi.org/10.1080/10911350903341036
- Oh, H., Stickley, A., Koyanagi, A., Yau, R., & DeVylder, J. E. (2019). Discrimination and suicidality among racial and ethnic minorities in the United States. Journal of affective disorders, 245, 517–523. <u>https://doi.org/10.1016/j.jad.2018.11.059</u>
- Olbert, C. M., Nagendra, A., & Buck, B. (2018). Meta-analysis of Black vs. White racial disparity in schizophrenia diagnosis in the United States: Do structured assessments attenuate racial disparities?. Journal of abnormal psychology, 127(1), 104–115. https://doi.org/10.1037/abn0000309



- Gilchrist, G., Gruer, L., & Atkinson, J. (2007). Predictors of neurotic symptom severity among female drug users in Glasgow, Scotland. Drugs: Education, Prevention, and Policy, 14(4), 347– 365.
- Piran N, Robinson S. The association between disordered eating and substance use and abuse in women. Womens Health. 2006;44(1):1-20.
- Tasca GA, et al. <u>Attachment insecurity mediates the relationship between childhood trauma</u> and eating disorder psychopathology in a clinical sample: a structural equation model. Child Abuse Negl. 2013 Nov;37(11):926-33
- <u>Burkett JP</u>¹, <u>Young LJ</u>. The behavioral, anatomical and pharmacological parallels between social attachment, love and addiction. <u>Psychopharmacology (Berl)</u>. 2012 Nov;224(1):1-26. doi: 10.1007/s00213-012-2794-x. Epub 2012 Aug 11.





- Perry BD. Examining child maltreatment through a neurodevelopmental lens: Clinical applications of the neurosequential model of therapeutics. Journal of Loss and Trauma 14 (4), 240-25. 2009
- Perry BD. Bonding and attachment in maltreated children. The Child Trauma Center, 2001
- Perry BD. Childhood experience and the expression of genetic potential. Brain and Mind 3: 79–100, 2002.
- Perry BD and Pollard R. Homeostasis, stress, trauma, and adaptation. A neurodevelopmental view of childhood trauma. <u>Child Adolesc Psychiatr Clin N Am.</u> 1998 Jan;7(1):33-51, viii.
- Hambrick EP, Brawner TW, Perry BD. Timing of early-life stress and the development of brain-related capacities. Front Behav Neurosci. 2019 Aug6;13:183



References - Graphics

- **Petro** L. Understanding Your Child's Brain Development. 2009-2015 [cited; Available from: <u>https://www.teach-through-love.com/child-brain-development.html</u>
- **Giovanelli** A, Mondi CF, Reynolds AJ, Ou S-R. Adverse childhood experiences: Mechanisms of risk and resilience in a longitudinal urban cohort. Development and psychopathology. 2020;**32**(4):1418-39.
- **Child** HCotD. Making the World a Better Place One Child at a Time. 2014 [cited; Available from: https://hollismontessori.org/blog/?offset=1413854654321
- <u>https://www.earlychildhoodcoalitioncentraltexas.org/</u>
- Larkin DH. ACES Implications. 2009 [cited; Available from: https://www.slideshare.net/NYSPEP/acesimplications
- Robert Wood Johnson Foundation
- Ellis WR, Dietz WH. A new framework for addressing adverse childhood and community experiences: The building community resilience model. Academic Pediatrics. 2017;**17**(7):S86-S93.
- **Robertson** CL, Simpson TA. Introduction of the ETSU Ballad Health Strong BRAIN Institute. 2020.
- Ellis WR, Dietz WH. A new framework for addressing adverse childhood and community experiences: The building community resilience model. Academic Pediatrics. 2017;**17**(7):S86-S93.



References-Graphics

1. Klein S. THE POWER OF HEAD START TO HEAL HURTING FAMILIES: Promising Evidence from Research. 2019.



#ASAM2021