

ASAM Pain & Addiction Applied Skills Workshop 2022

Reference List

Ahmed S, Bhivandkar S, Lonergan BB, Suzuki J. Microinduction of Buprenorphine/Naloxone: A Review of the Literature. *Am J Addict*. 2021 Jul;30(4):305-315. doi: 10.1111/ajad.13135. Epub 2020 Dec 30. PMID: 33378137.

Apkarian AV, Baliki MN, Farmer MA. Predicting transition to chronic pain. *Curr Opin Neurol*. 2013;26:360–367. doi:10.1097/WCO.0b013e32836336ad

Baer RA. Mindfulness training as a clinical intervention: a conceptual and empirical review. *Clinical Psychology: Scientific Practice*. 2003; 10(2):125-143.

Ballantyne JC, Sullivan MD, and KolodnyA. Opioid Dependence vs Addiction: A Distinction Without a Difference? *Arch Intern Med* 2012; 172(17): 1342-3.

Ballantyne JC, Sullivan MD, and KoobGF. Refractory dependence on opioidanalgesics. *Pain* 2019;160:2655-2660.

Brinjikji W, Luetmer PH, Comstock B, Bresnahan BW, Chen LE, Deyo R a, et al. Systematic Literature Review of Imaging Features of Spinal Degeneration in Asymptomatic Populations. *Am J Neuroradiol*. 2015;36: 811–816. doi:10.3174/ajnr.A4173

Chen KY, Chen L, Mao J. Buprenorphine-naloxone therapy in pain management. *Anesthesiology*. 2014 May;120(5):1262-74. doi: 10.1097/ALN.000000000000170. PMID: 24509068; PMCID: PMC3999180.

Commons KG. Neuronal pathways linking substance P to drug addiction and stress. *Brain Res*. 2010;1314:175-182. doi:10.1016/j.brainres.2009.11.014

Compton PA, Wu SM, Schieffer B, Pham Q, Naliboff BD. Introduction of a self-report version of the Prescription Drug Use Questionnaire and relationship to medication agreement noncompliance. *J Pain Symptom Manage*. 2008;36(4):383-395. doi:10.1016/j.jpainsymman.2007.11.006

Dale R, Stacey B. Multimodal Treatment of Chronic Pain. *Med Clin North Am*. 2016 Jan;100(1):55-64.

Fitzcharles MA, Cohen SP, Clauw DJ, Littlejohn G, Usui C, Häuser W. Nociceptive pain: towards an understanding of prevalent pain conditions. *Lancet*. 2021;397: 2098–2110. doi:10.1016/S0140-6736(21)00392-5

Haller M, Chassin L. Risk pathways among traumatic stress, posttraumatic stress disorder symptoms, and alcohol and drug problems: a test of four hypotheses. *Psychol Addict Behav*. 2014;28(3):841-851. doi:10.1037/a0035878

Hargraves et al. Implementing SBIRT (Screening, Brief Intervention and Referral to Treatment) in primary care: lessons learned from a multipractice evaluation portfolio. *Public Health Reviews* (2017) 38:31.

Hashmi JA, Baliki MN, Huang L, Baria a. T, Torbey S, Hermann KM, et al. Shape shifting pain: chronification of back pain shifts brain representation from nociceptive to emotional circuits. *Brain*. 2013;136: 2751–2768. doi:10.1093/brain/awt211

Herman PM, Anderson ML, Sherman KJ, Balderson BH, Turner JA, Cherkin DC. Cost-effectiveness of Mindfulness-based Stress Reduction Versus Cognitive Behavioral Therapy or Usual Care Among Adults With Chronic Low Back Pain. *Spine (Phila Pa 1976)*. 2017 Oct 15;42(20):1511-1520.

Herron, A. J., & Brennan, T. (2020). Chapter 3. In *The ASAM essentials of addiction medicine* (pp. 120–120). Wolters Kluwer Health/Lippincott Williams & Wilkins.

<http://emdrfoundation.org/toolkit/sprint.pdf>. Accessed 8/23/21

http://www.agencymeddirectors.wa.gov/Files/OpioidConference/3Ballantyne_SAFETYandEFFECTIVENESSofOPIOIDS.pdf. Accessed 7/26/2021.

http://www.naabt.org/documents/Suboxone_dosing_guide.pdf/. Accessed 8/27/2021.

https://en.wikipedia.org/wiki/SMART_criteria

https://ncsacw.samhsa.gov/files/SAFERR_AppendixD.pdf

<https://reference.medscape.com/drug/seroquel-xr-quetiapine-342984#10>

<https://thinkmarketingmagazine.com/how-to-create-smart-goals/>. Accessed 7/20/2021.

<https://www.aafp.org/afp/2013/0815/p224.html>. Accessed 7/31/2021.

<https://www.everyonegoeshome.com/wp-content/uploads/sites/2/2014/04/FLSI13TSQ.pdf>. Accessed 8/23/21.

https://www.hhs.gov/opioids/sites/default/files/2019-10/Dosage_Reduction_Discontinuation.pdf. Accessed 8/12/2021.

<https://www.hydratemarketing.com/blog/the-importance-of-setting-smart-goals>. Accessed 7/15/2021.

<https://www.iasp-pain.org/publications/iasp-news/iasp-announces-revised-definition-of-pain/>

<https://www.mayoclinicproceedings.org/action/showPdf?pii=S0025-6196%2811%2961419-5>. Accessed 8/23/21

<https://www.oregonpainguidance.org/guideline/tapering/>. Accessed 6/27/2021.

https://www.pbm.va.gov/AcademicDetailingService/Documents/Pain_Opioid_Taper_Tool_IB_10_939_P96820.pdf. Accessed 7/27/2021/

https://www.pbm.va.gov/PBM/AcademicDetailingService/Documents/Academic_Detailing_Educational_Material_Catalog/59_PTSD_NCPTSD_Provider_Helping_Patients_Taper_BZD.pdf. Accessed 7/31/2021.

<https://www.practicalpainmanagement.com/resource-centers/opioid-prescribing-monitoring/pain-assessment-review-current-tools>

<https://www.practicalpainmanagement.com/resource-centers/opioid-prescribing-monitoring/risk-assessment-safe-opioid-prescribing-tools>. Accessed 8/20/21

<https://www.psychiatrictimes.com/view/you-say-pain-addiction-lets-call-whole-thing-off>

<https://www.psychiatry.org/patients-families/ptsd/what-is-ptsd>. Accessed 8/26/21.

<https://www.ptsd.va.gov/professional/assessment/te-measures/index.asp>. Accessed 8/23/21

<https://www.relias.com/blog/connection-substance-use-and-trauma>. Accessed 8/24/21.

https://www.samhsa.gov/data/sites/default/files/reports/rpt29392/Assistant-Secretary-nsduh2019_presentation/Assistant-Secretary-nsduh2019_presentation.pdf. Accessed 8/19/21.

<https://www.sciencemag.org/news/2016/11/why-painkillers-sometimes-make-pain-worse>. Accessed 7/15/2021.

https://www.swmbh.org/wp-content/uploads/Tx_Planning_for_SUD_v3.0.pdf. Accessed 7/12/21.

<https://www.the-hospitalist.org/hospitalist/article/123281/dealing-dts>

<https://www.uspharmacist.com/article/opioid-induced-hyperalgesia-an-emerging-treatment-challenge>

<https://www.uspharmacist.com/article/treatment-of-alcohol-withdrawal-syndrome>. Accessed 7/27/2021.

Huffman KL et al. Sustained Improvements in Pain, Mood, Function and Opioid Use Post Interdisciplinary Pain Rehabilitation in Patients Weaned from High and Low Dose Chronic Opioid Therapy. *Pain*. 2017 Jul;158(7):1380-1394.

Jonas WB, Crawford C, Colloca L, Kriston L, Linde K, Moseley B, Meissner K. Are Invasive Procedures Effective for Chronic Pain? A Systematic Review. *Pain Med*. 2019 Jul 1;20(7):1281-1293

Kabat-Zinn J. An outpatient program for chronic pain patients based on the practice of mindfulness meditation: theoretical considerations and preliminary results. *General Hospital Psychiatry*. 1982;4(1):33-47.

Koob GF, Volkow ND. Neurobiology of addiction: a neurocircuitry analysis. *Lancet Psychiatry*. 2016 Aug;3(8):760-773. doi: 10.1016/S2215-0366(16)00104-8. PMID: 27475769; PMCID: PMC6135092.

Koob, G.F. A role for brain stress systems in addiction. *Neuron* 59:11–34, 2008. PMID: 18614026

Kosten TR, O'Connor PG. Management of drug and alcohol withdrawal. *N Engl J Med*. 2003 May 1;348(18):1786-95. doi: 10.1056/NEJMra020617. PMID: 12724485.

Kroenke K, Bair MJ, Damush TM, Hoke S, Sutherland J. Optimized Antidepressant Therapy and Pain Self-management in Primary Care Patients With Depression and Musculoskeletal Pain. *JAMA*. 2009;301:2099–2110. doi:10.1001/jama.2009.723

Leeuw M, Goosens ME et al. The fear-avoidance model of musculoskeletal pain: current state of scientific evidence. *Journal of Behavioral Medicine*. 2007; 30(1):77-94.

Lexi-Comp, Facts and Comparisons, Koehl JL, et al. *AJHP* 2019. Parida et al. *Expert Rev ClinPharm* 2019

Maleki N, Tahaney K, Thompson BL, Oscar-Berman M. At the intersection of alcohol use disorder and chronic pain. *Neuropsychology*. 2019;33(6):795-807. doi:10.1037/neu0000558

McDonagh MS, Selph SS, Buckley DI, Holmes RS, Mauer K, Ramirez S, et al. Nonopioid Pharmacologic Treatments for Chronic Pain. 2020 Apr. doi:10.23970/AHRQEPCCER228

Mielsen, S., Hillhouse, M., Thomas, C., Hasson, A., & Ling, W. (2013). A comparison of buprenorphine taper outcomes between prescription opioid and heroin users. *J Addict Med*. Jan-Feb;7(1). 33-8.

Oliveira CB, Maher CG, Ferreira ML, Hancock MJ, Oliveira VC, McLachlan AJ, Koes BW, Ferreira PH, Cohen SP, Pinto RZ. Epidural Corticosteroid Injections for Lumbosacral Radicular Pain. *Cochrane Database Syst Rev*. 2020 Apr 9;4(4):CD013577.

Seminowicz D a, Shpaner M, Keaser ML, Krauthamer GM, Mantegna J, Dumas J a, et al. Cognitive-Behavioral Therapy Increases Prefrontal Cortex Gray Matter in Patients With Chronic Pain. *J Pain*. 2013;14: 1573–1584. doi:10.1016/j.jpain.2013.07.020

Sivertsen B, Lallukka T, Petrie KJ, Steingrimsdóttir ÓA, Stubhaug A, Nielsen CS. Sleep and Pain Sensitivity in Adults. *Pain*. 2015; 1. doi:10.1097/j.pain.000000000000131

Skelly AC, Chou R, Dettori JR, Brodt ED, Diulio-Nakamura A, Mauer K, et al. Integrated and Comprehensive Pain Management Programs: Effectiveness and Harms. *AHRQ Comp Eff Rev*. 2021 Oct. doi:10.23970/AHRQEPCCER251

Skelly AC, Chou R, Dettori JR, Turner JA, Friedly JL, Rundell SD, et al. Noninvasive Nonpharmacological Treatment for Chronic Pain: A Systematic Review Update. 2020 Apr. doi:10.23970/AHRQEPCCER227

Squires LE, Alford DP, Bernstein J, Palfai T, Saitz R. Clinical case discussion: screening and brief intervention for drug use in primary care. *J Addict Med*. 2010;4(3):131-136. doi:10.1097/ADM.0b013e3181f59777

Stanos, S. Focused Review of Interdisciplinary Pain Rehabilitation Programs for Chronic Pain Management. *Curr Pain Headache Rep* 16, 147–152 (2012)

Sturgeon JA. Psychological therapies for the management of chronic pain. *Psychology Research and Behavioral Management*. 2014;7:115-124.

Tien AY, Anthony JC (August 1990). "Epidemiological analysis of alcohol and drug use as risk factors for psychotic experiences" *The Journal of Nervous and Mental Disease*. 178 (8): 473–80. doi:10.1097/00005053-199017880-00001

Turk DC, Audette J et al. Assessment and treatment of psychosocial comorbidities in patients with neuropathic pain. *Mayo Clinic Proceedings*. 2010; 85:S42-S50.

VA Academic Detailing: Identifying and Managing Opioid Use Disorder:

https://www.pbm.va.gov/PBM/AcademicDetailingService/Documents/508/IB10-933_OUD-ProviderAD-EducationalGuide_508Ready.pdf

VA Evidence Synthesis Program Reports

VA/DoD Clinical Practice Guideline Diagnosis and Treatment of Low Back Pain

Weiss RD, Sharpe Potter JS, Fiellin DA, Byrne M, Connery HS, Dickinson W, et al. (2011.) Adjunctive counseling during brief and extended buprenorphine-naloxone treatment for prescription opioid use disorder: A 2-phase randomized controlled trial. *Archives of General Psychiatry* 68(12), 1238-46.

Williams AC et al. Psychological therapies for the management of chronic pain (excluding headache) in adults. *Cochrane Database Systematic Review*. 2021;11:CD007407.

Wong JSH, Nikoo M, Westenberg JN, Suen JG, Wong JYC, Krausz RM, Schütz CG, Vogel M, Sidhu JA, Moe J, Arishenkoff S, Griesdale D, Mathew N, Azar P. Comparing rapid micro-induction and standard induction of buprenorphine/naloxone for treatment of opioid use disorder: protocol for an open-label,

parallel-group, superiority, randomized controlled trial. Addict Sci Clin Pract. 2021 Feb 12;16(1):11. doi: 10.1186/s13722-021-00220-2. PMID: 33579359; PMCID: PMC7881636.

www.painrevolution.org

Young Casey C, Greenberg MA et al. Transition from acute to chronic pain and disability: a model including cognitive, affective, and trauma factors. Pain. 2008; 134(1-2):69-79.