

1



2



Which of the follow to describe the Spir	
A. Palliation	
B. Acceptance	
C. Comparison	
D. Evolution	

4



5



Spirit (PACE) Emphasis on spirit rather than techniques. Partnership Acceptance Compassion Evocation Miller and Rollnick, Motivational Interviewing: Helping People Charge, 3rd Edition, 2013.

Spirit (PACE)

Emphasis on spirit rather than techniques.

Partnership
Acceptance
Compassion
Evocation

Miller and Rollnick, Motivational Interviewing: Helping People Charge, 3rd Edition, 2013.

The Spirit of MI:
Wrestling vs. Dancing


Source of metaphor: Jeff Allison

Which of the following four processes are a part of motivational interviewing?

A. Engaging the patient in the process
B.Fantasizing about a better future for yourself
C.Eliciting change talk from the patient
D.Perseverating on the change the patient wishes to make for themselves

10

\$



11

Core Skills (OARS + I&A) Open Ended Questions Affirming Reflecting (simple and complex) Summarizing Informing & Advising (with permission, elicit-provide-elicit)

Reflective Listening

"Right now, drinking doesn't help me feel better the way it used to. In fact, I feel worse now."

- · Echo: Drinking makes you feel worse now.
- Rephrase: So, you find that drinking is no longer helping you to feel better, the way it used to.
- Double-sided: In the past, drinking helped you to feel better. Now it makes matters worse.
- Continuation: ... and you want to find some way to feel better instead of drinking.

13

Facilitating Change

- Change talk: as a person argues on behalf of one position, he or she becomes more committed to it; we talk ourselves into (or out of) things.
- Sustain talk: the more of it is evoked during a counseling session, the more likely that the person will continue the status quo.

Want to change

14

Encourage & Reinforce Change Talk

- D: desire -- Want, wish, like
- A: ability -- Can, could, able
- R: reason -- Specific reason for change
- N: need -- Need to, have to, must, important

COMMITMENT LANGUAGE PREDICTS CHANGE

- C: commitment Will, intend to, going to
- $\bullet \quad \textbf{A} \hbox{: activation} \ \mbox{Ready to, willing to (w/o specific commitment)}$
- T: taking steps Report recent specific action toward change

GE GE

Motivational Enhancement Therapy (MET)

- From the founders: "[MET] is a systematic intervention approach for
 evoking change in problem drinkers. It is based on principles of
 motivational psychology and is designed to produce rapid, internally
 motivated change. This treatment strategy does not attempt to guide and
 train the client, step by step, through recovery, but instead employs
 motivational strategies to mobilize the client's own change resources."
 - Miller et al., 199
 - · Adapted from Motivational Interviewing
 - 4 session protocol great for short-term therapeutic relationships
 - Used as a tailored approach for substance misusers
 - Three phases
 - Manual available here: https://casaa.unm.edu/download/MET.pdf

16

Which of the following are part of Marlatt and Gordon's 1985 model of Relapse Prevention utilizing Cognitive Behavioral Therapy adapted for treatment of substance use disorders?

- A. Eliciting change talk from the patient
- B. Earning vouchers for negative urine drug screens
- C. Targeting cognitive, affective, and situational triggers for substance use
- D. Conducting a moral inventory

\$

17

Cognitive Behavioral Therapy (CBT) Efficacy

- CBT models
- $\bullet \hspace{0.4cm}$ among the most extensively evaluated interventions for SUDs
- Based primarily on Marlatt and Gordon's 1985 model of relanse prevention
- target cognitive, affective, and situational triggers for substance use
- provide skills training specific to coping alternatives

Cognitive Behavioral Therapy CBT says: Substance use is reinforcing, this interacts with psychological or behavioral coping deficits to produce increase in substance use SUD develops when pattern is repeated Solution: more effective coping Also deals with expectancies (cognitions) Stages of treatment: Building rapport and alliance Preparing for Change CBT Strategies Maintaining Change/Termination

19

Core Elements of Cognitive Behavioral Therapy: 1. Recognize: triggers and cues, external and internal 2. Anticipate/Avoid: high risk situations-people-places 3. Cope: skills for relaxing, dealing with stress, tolerating dysphoria 4. Connect: options for support, socializing, fun, and meaning

20

Cognitive Behavior Therapy: Basic Treatment Components (1):

- Identification of high-risk situations
- "people, places, and things"
- · Development of coping skills
- To manage risks and triggers, as well as negative emotional states
- Development of new lifestyle behaviors
- To decrease the need for and the role of substance use
- Development of sense of self-efficacy
- Build on small successes in coping and positive choices

Cognitive Behavior Therapy: Basic Treatment Components (2):

- · Communication skills
- Refusal skills
- Asking for help
- · Preparation for lapses
- Process to be learned from "lapses"
- Prevent lapse from becoming relapse
- · Identify and manage patterns of thinking that increase risk
- · Dealing with relapse
- · Relapse is not a catastrophe
- Minimize consequences

22

CRA vs CRAFT

- Both are evidence supported behavioral treatments for SUD
- Community Reinforcement Approach (CRA)
 - · Intended for the person
 - Based on the belief that a drinker's "community" (e.g., family, social and job environment) plays a critical role in supporting or discouraging use
 - Consequently, the environment needs to be restructured such that a sober lifestyle is more rewarding than a using lifestyle
- Community Reinforcement and Family Therapy (CRAFT)
- An outgrowth of CRA
- Helps the family
- Method for working with concerned family members in order to get a treatment-refusing person to enter treatment

23

Community Reinforcement Approach (CRA)

- Based on operant conditioning: substance use as learned behavior
- Naturalistic: uses contingencies already operating in the individual's natural environment to support change and abstinence (e.g., giving or withholding praise for behaviors)
- Functional analysis of both healthy and substance use behaviors in terms of ability to reward or be aversive
- Refining problem-solving and goal-setting efforts for individual and/or family (teaching positive communication, contracting skills)

Psychosocial Interventions: Cognitive Behavioral Therapy and Motivational Interviewing

Carla B. Marienfeld, MD, DFAPA, FASAM July 28, 2023

CRAFT

- From the founder: "The Community Reinforcement Approach and Family Training (CRAFT) intervention is a scientifically based intervention designed to help concerned significant others (CSOs) to engage treatment-refusing substance abusers into treatment."
 - Robert J. Meyers, 2019
- Goal: treatment engagement for the substance user
- "Positive approach" that avoids confrontation
- · Culturally sensitive: works with cultural mores/beliefs to develop treatment plan
- Teaches CSOs to use positive reinforcers (rewards)
- Encourages CSOs to allow the substance user to suffer natural consequences of using behavior.
- Includes: functional analysis, sobriety sampling, CRA treatment plan, behavioral skills training, job skills, social/rec counseling, relapse prevention, and relationship counseling



25

Acceptance and Commitment Therapy (ACT)

- Has some studies for use with SUDs
- Six Core Processes
 - Acceptance
 - Cognitive Diffusion
 - Being Present
 Self As Contact
 - Self As Context
 - ValuesCommitted Action
- Useful in helping pts consider how their substance use disconnects them from their values.
- Comparing "sober values" to "using values" or reconnecting to values



26

Dialectical Behavior Therapy (DBT)

- Manual driven behavioral treatment utilizing validation and motivational enhancement techniques
- Often combination of group and individual elements
- Addresses enhancement of four basic capabilities:
 - Interpersonal effectiveness
 - Emotional and self regulation capacities
 - Ability to tolerate distress
 - Mindfulness



Dialectical Behavioral Therapy (DBT)

- From the founder: "When DBT is successful, the patient learns to envision, articulate, pursue, and sustain goals that are independent of his or her history of out-of-control behavior, including substance abuse, and is better able to grapple with life's ordinary problems." - Linehan, 2008
- Core processes: Change & acceptance
- Emphasis on abstinence
- Change: pushing for immediate and permanent cessation of drug
- Acceptance: a relapse, should it occur, does not mean that the patient or the therapy cannot achieve the desired result
- Key skills: Cope ahead, Failing well
- Addict Mind → Clean Mind

28

Co-Occurring Psychiatric Disorders · General guidelines Concurrent treatment post-stabilization is best! PTSD • Cognitive Processing Therapy (CPT)

- Eye Movement Desensitization and Reprocessing (EMDR)
- Prolonged Exposure (PE)
- Concurrent Treatment of PTSD and SUDs using Prolonged

29



Psychosocial Interventions: Cognitive Behavioral Therapy and Motivational Interviewing

